

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 20 | ((two or "2" or dual) near3 phase near3 commit) (token same transaction same commit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2006/05/30 15:00 |
| S2 | 13 | ((two or "2" or dual) near3 phase near3 commit) (token same transaction same commit) (replicate or replication) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2006/05/30 15:02 |
| S3 | 3 | ((two or "2" or dual) near3 phase near3 commit) (token same transaction same commit) (replicate or replication) (lock near3 update) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2006/05/30 15:04 |

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about **418,000** for **database lock update commit token**. (0.51 seconds)

Contents

SQL Call Level Interface (CLI) and Open **Database** Connectivity (ODBC) · Java **DataBase** Connectivity (JDBC) and embedded SQL for Java (SQLJ) programs · Schemas ...
 publib.boulder.ibm.com/infocenter/ iseries/v5r3/topic/db2/rbafzmst02.htm - 139k -
[Cached](#) - [Similar pages](#)

Contents

... dbsac-Attach TPF Application Requester **Database** Support Structure ... glob_lock-**Lock** and Access Synchronizable TPF Global Field or Record ...
 publib.boulder.ibm.com/infocenter/tpfhelp/
 current/topic/com.ibm.tpf.doc_put.20/gtpc2/gtpc2m02.htm - 88k - [Cached](#) - [Similar pages](#)

SQL Reference

The Federated Server, Federated **Database**, and Data Sources · Tasks to Perform in a DB2 ... common-table-expression · order-by-clause · **update**-clause ...
 grdelin.phy.hr/~ivo/Nastava/ Baze_podataka/arhiva/sql/db2/index.htm - 54k -
[Cached](#) - [Similar pages](#)

Locking

The user's working copy must send the **lock token** with the **commit**, ... Finally, svn **update** notices any defunct **lock tokens** and removes them from the working ...
 svnbook.red-bean.com/en/1.2/svn.advanced.locking.html - 30k - [Cached](#) - [Similar pages](#)

Subversion Dev: Locking proposal: The **update**-and-**lock** model

While owning a **lock**, you may **commit** and **update** the resource using the normal svn commands (yes, ... --no-auth-cache : do not cache authentication **tokens** ...
 svn.haxx.se/dev/archive-2004-06/0541.shtml - 13k - [Cached](#) - [Similar pages](#)

Subversion Dev: Re: Locking design (was Re: svn **commit**: r9885 ...

by the fact that it's not marked as locked in the status/**update** reply. Doesn't even have to send **lock tokens** to the server except on **commit** or unlock. ...
 svn.haxx.se/dev/archive-2004-05/1190.shtml - 17k - [Cached](#) - [Similar pages](#)
 [[More results from svn.haxx.se](#)]

Java Technology Forums - Avoid Duplicate entry in **Database**

... your **database** checking and insertion code, and a **commit**() after that? ... The basic idea is to set a **token** in a session variable before returning a ...
 forum.java.sun.com/ thread.jspa?threadID=496001&messageID=2340214 - 32k -
[Cached](#) - [Similar pages](#)

Mailing list archives

getSecurityHelper(); this.**lock** = **token**.getLockHelper(); this.content = **token**. ... **commit** **token.commit**(); } catch (Exception e) { **token.rollback**(); throw e; ...
 mail-archives.apache.org/mod_mbox/jakarta-slide-user/ 200311.mbox/%
 3C20031125142759.95AE.KYH00015@nifty.com%3E - 23k - [Cached](#) - [Similar pages](#)

Annie Liu's CSE/ISE315: Transaction Processing (Spring `06)

Textbook: **Database** Systems: An Application-Oriented Approach by Michael Kifer, ... Logs for immediate **update** systems, **update**/begin/**commit**/abort records, ...
 www.cs.sunysb.edu/~cse315/ - 15k - [Cached](#) - [Similar pages](#)

3 Database Concepts

where the **token WORK** is optional. Otherwise, **locks** and cursors acquired by your ... Row **locks** obtained by a **FOR UPDATE** statement are cleared by a **COMMIT**, ...
www.stanford.edu/dept/itss/docs/oracle/10g/appdev.101/a96109/pco03dbc.htm - 68k -
[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google

News < ▾
New lines of communication
Financial Times 3 hrs ago

Email < ▾
Lunch tomorrow?
Mandy MY <.. 11 min ago

61°F Clear - Mount < ▾
DJI 10434.87 -84. < ▾

Type to search

11:22 AM

database lock update commit token

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar

 Results 1 - 10 of about 1,400 for database lock update commit token. (0.12 seconds)

The performance of **database** replication with group multicast - group of 3 »

[All articles](#) [Recent articles](#)

J Holliday, D Agrawal, A El Abbadi - Fault-Tolerant Computing, 1999. Digest of Papers. Twenty- ..., 1999 - [ieeexplore.ieee.org](#)

... ation is broadcast to all copies of the **database**. ... This is achieved by deferring **update** operations until **commit** time ... On receiving the writes, the **lock** manager on ...

Cited by 31 - [Web Search](#) - [BL Direct](#)

Distributed real-time optimistic concurrency control protocol - group of 4 »

K Lam, VCS Lee, K Lam, S Hung - Proc. 4th International Workshop on Parallel and Distributed ..., 1996 - [doi.ieeeecs.org](#)

... Then Tij will **update** the values of RTS(x) and WTS(x) with ... the data item x held by its VR-**lock** or VW-**lock** and makes its updates permanent in the **database**. ...

Cited by 9 - [Web Search](#)

Replication control for distributed real-time **database** systems

SH Son, S Kouloumbis - Distributed Computing Systems, 1992., Proceedings of the ..., 1992 - [ieeexplore.ieee.org](#)

... An **update** transac- tion that executes its **commit** phase can ... values of a replicated data object might reflect an inconsistent state of the **database**. ...

Cited by 13 - [Web Search](#)

Simplifying distributed **database** systems design by using a broadcast network - group of 2 »

JM Chang - Proceedings of the 1984 ACM SIGMOD international conference ..., 1984 - [portal.acm.org](#)

... LAMBDA, the read-one/write-all **update** strategy and ... protocols implemented in the LAMBDA **database** system A ... concurrent transactions Depending on the **lock** status, a ...

Cited by 21 - [Web Search](#)

[PS] Using UML to Derive Stochastic Petri Net Models - group of 2 »

P King, R Pooley - Proceedings of the Fifteenth Annual UK Performance ... - [cee.hw.ac.uk](#)

... co- operating processes have to **update** global information ... In a realistic **database** application there would be ... a **lock** refused, the Task.refuse transition res and ...

Cited by 36 - [View as HTML](#) - [Web Search](#)

Token transactions: managing fine-grained migration of data - group of 3 »

VO Tam, M Hsu - ... ACM SIGACT-SIGMOD-SIGART symposium on Principles of **database** ..., 1990 - [portal.acm.org](#)

... paradigm, a transac- tion t only holds **locks** locally, and it ... safe" so far as the underlying **database** will not ... tt) before site(tt) sends any **update** message on ...

Cited by 2 - [Web Search](#)

Fast recovery in distributed shared virtual memory systems

VO Tam, M Hsu - Distributed Computing Systems, 1990. Proceedings., 10th ... - [ieeexplore.ieee.org](#)

... begin-sync -unit access and **update** shared data; end-sync ... Like the **commit** point of a **database** transaction, at ... precondi- tion is satisfied and a **lock** is obtained ...

Cited by 23 - [Web Search](#)

DLFM: a transactional resource manager - group of 5 »

HI Hsiao, I Narang - Proceedings of the 2000 ACM SIGMOD international conference ..., 2000 - [portal.acm.org](#)

... It, in fact, releases all the **locks** acquired by the ... the DLFM uses the SQL interface to **update** the metadata ... its state stored in its local **database** during **commit** ...

Cited by 10 - [Web Search](#) - [BL Direct](#)

Database Managed External File **Update** - group of 8 »

N Mittal, HI Hsiao - Data Engineering, 2001. Proceedings. 17th International ..., 2001 - doi.ieeecomputersociety.org
... is executed in synchronization with the associated **database**. ... write serialization
even though no **locks** are acquired ... system fails during file **update** operation or ...
[Cited by 1](#) - [Web Search](#) - [BL Direct](#)

The Database State Machine Approach - group of 4 »

FW Pedone, RW Guerraoui, AW Schiper - Distributed and Parallel Databases, 2003 - Springer
... The deferred **update** replication technique can be implemented ... details, we describe
the **database** modules involved ... the Transaction Manager, the **Lock** Manager, and ...
[Cited by 31](#) - [Web Search](#) - [BL Direct](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **[Next](#)**

database lock update commit token **Search**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)